





Porcentaje de datos recuperados Ciudadanos Científicos (2021-06-03 11:42:58)

NUBE	HUMEDAD			TEMPERATURA			PM25 DF			PM25 NOVA			PM10 DF			PM10 NOVA		
	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h
N250	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N167	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N156	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N244	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N108	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N221	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N235	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N148	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N233	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N132	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N232	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N150	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N147	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N271	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N222	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N138	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N139	99.8	99.3	86.9	99.8	99.3	86.9	0.0	0.0	0.0	94.8	86.8	86.9	0.0	0.0	0.0	94.8	98.9	85.2













Porcentaje de datos recuperados Ciudadanos Científicos (2021-06-03 11:42:58)

NUBE	HUMEDAD			TEMPERATURA			PM25 DF			PM25 NOVA			PM10 DF			PM10 NOVA		
	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h
N183	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N182	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N181	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N204	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N259	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N179	10.9	1.4	0.0	10.9	1.4	0.0	0.0	0.0	0.0	66.3	58.4	47.5	0.0	0.0	0.0	66.3	96.9	86.9
N15	10.5	73.6	78.7	10.5	73.6	78.7	0.0	0.1	0.0	9.3	65.3	78.7	0.0	0.1	0.0	9.3	72.3	77.0
N162	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0
N241	0.7	0.7	0.0	0.7	0.7	0.0	0.7	0.7	0.0	0.7	0.7	0.0	0.7	0.7	0.0	0.7	0.7	0.0
N200	1.7	1.4	0.0	1.7	1.4	0.0	1.7	1.4	0.0	1.7	1.4	0.0	1.7	1.4	0.0	1.7	1.4	0.0
N35	0.0	0.1	1.6	0.0	0.2	4.9	0.0	0.2	4.9	0.0	0.2	4.9	0.0	0.2	4.9	0.0	0.2	4.9
N258	5.9	0.0	0.0	5.9	0.0	0.0	14.2	0.0	0.0	13.6	0.0	0.0	14.2	0.0	0.0	13.6	0.0	0.0
N4	99.7	99.0	78.7	99.7	99.0	78.7	15.7	0.0	0.0	92.4	80.2	29.5	16.0	0.0	0.0	92.4	99.0	78.7
N211	27.3	0.0	0.0	27.3	0.0	0.0	27.3	0.0	0.0	26.1	0.0	0.0	27.3	0.0	0.0	26.1	0.0	0.0
N249	28.2	0.0	0.0	28.2	0.0	0.0	28.2	0.0	0.0	27.9	0.0	0.0	28.2	0.0	0.0	27.9	0.0	0.0
N25	99.7	99.0	78.7	99.7	99.0	78.7	31.0	0.0	0.0	0.0	0.0	0.0	31.0	0.0	0.0	0.0	0.0	0.0

Porcentaje de datos recuperados Ciudadanos Científicos (2021-06-03 11:42:58)

NUBE	HUMEDAD			TEMPERATURA			PM25 DF			PM25 NOVA			PM10 DF			PM10 NOVA		
	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h
N137	99.8	99.2	85.2	99.8	99.2	85.2	8.4	6.9	29.5	96.9	90.8	85.2	8.7	6.9	29.5	96.9	99.2	85.2
N214	0.0	0.0	0.0	0.0	0.0	0.0	38.8	2.1	0.0	38.7	2.1	0.0	38.8	2.1	0.0	38.7	2.1	0.0
N127	18.0	38.8	0.0	18.0	38.8	0.0	18.0	38.8	0.0	17.4	38.8	0.0	18.0	38.8	0.0	17.4	38.8	0.0
N124	56.4	0.0	0.0	56.4	0.0	0.0	56.4	0.0	0.0	55.4	0.0	0.0	56.4	0.0	0.0	55.4	0.0	0.0
N80	58.3	0.0	0.0	58.3	0.0	0.0	58.0	0.0	0.0	55.5	0.0	0.0	57.7	0.0	0.0	55.5	0.0	0.0
N79	0.6	4.0	95.1	0.6	4.0	95.1	0.6	4.0	93.4	0.6	4.0	93.4	0.6	4.0	95.1	0.6	4.0	93.4
N97	79.9	0.0	0.0	79.9	0.0	0.0	78.4	0.0	0.0	69.4	0.0	0.0	79.3	0.0	0.0	69.4	0.0	0.0
N67	13.0	7.3	98.4	13.0	7.3	98.4	13.0	7.1	95.1	12.9	7.3	98.4	13.0	7.3	98.4	12.9	7.1	95.1
N196	13.3	32.2	86.9	13.3	32.2	86.9	13.8	32.4	86.9	13.8	32.4	86.9	13.8	32.4	86.9	13.8	32.4	86.9
N152	98.9	92.9	96.7	98.9	93.0	98.4	58.1	46.9	0.0	0.0	0.0	0.0	59.0	49.0	0.0	0.0	0.0	0.0
N234	0.0	0.0	0.0	0.0	0.0	0.0	47.7	41.3	57.4	66.4	72.5	67.2	47.7	41.3	57.4	66.4	99.6	95.1
N224	51.7	42.9	77.0	51.7	42.9	77.0	51.4	42.9	77.0	48.7	40.8	27.9	51.4	42.9	77.0	48.7	42.6	77.0
N212	0.0	0.0	0.0	0.0	0.0	0.0	56.3	38.9	78.7	97.5	95.0	88.5	58.4	38.9	78.7	97.5	98.5	88.5
N48	99.7	99.3	88.5	99.7	99.3	88.5	41.7	49.5	88.5	67.6	64.2	88.5	44.7	53.6	88.5	67.6	99.3	88.5
N105	94.3	62.0	0.0	94.3	62.0	0.0	94.0	59.9	0.0	92.5	57.8	0.0	94.0	59.9	0.0	92.5	57.8	0.0
N187	0.0	0.0	0.0	0.0	0.0	0.0	29.3	74.3	86.9	27.7	72.2	86.9	29.3	74.3	86.9	27.7	99.2	86.9
N118	85.3	47.1	44.3	85.3	47.1	44.3	83.2	47.1	44.3	84.7	45.0	44.3	83.2	47.1	44.3	84.7	47.1	44.3

Porcentaje de datos recuperados Ciudadanos Científicos (2021-06-03 11:42:58)

NUBE	HUMEDAD			TEMPERATURA			PM25 DF			PM25 NOVA			PM10 DF			PM10 NOVA		
	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h
N71	14.8	99.8	96.7	14.8	99.9	98.4	13.6	93.5	98.4	13.6	93.2	95.1	13.6	93.5	98.4	13.6	99.5	98.4
N106	96.8	92.0	86.9	96.8	92.0	86.9	57.0	53.5	86.9	81.4	67.0	86.9	57.0	53.5	86.9	81.4	92.0	86.9
N50	99.7	99.3	88.5	99.7	99.3	88.5	65.8	53.5	88.5	73.2	78.5	88.5	67.3	53.5	88.5	73.2	99.3	88.5
N122	99.8	99.2	85.2	99.8	99.3	86.9	28.1	99.2	85.2	99.0	99.0	85.2	28.4	99.2	85.2	99.0	97.6	85.2
N188	0.0	0.0	0.0	0.0	0.0	0.0	93.7	86.1	0.0	87.0	81.9	0.0	94.0	86.1	0.0	87.0	89.5	0.0
N53	87.7	87.4	68.9	87.7	87.4	68.9	82.3	51.0	68.9	98.4	97.4	68.9	82.3	51.0	68.9	98.4	97.4	68.9
N81	41.1	99.2	86.9	41.1	99.2	86.9	38.4	90.9	86.9	36.6	82.6	86.9	38.4	90.9	86.9	36.6	82.6	86.9
N115	37.0	99.7	98.4	37.0	99.7	98.4	33.5	91.3	98.4	33.7	82.9	63.9	33.8	93.4	98.4	33.7	99.3	98.4
N144	35.2	99.3	86.9	35.2	99.3	86.9	35.2	99.3	86.9	34.3	97.2	86.9	35.2	99.3	86.9	34.3	99.2	86.9
N62	99.8	99.2	86.9	99.8	99.2	86.9	67.9	68.0	86.9	81.2	74.3	86.9	68.5	70.1	86.9	81.2	99.2	86.9
N193	84.8	87.9	86.9	84.8	87.9	86.9	89.2	81.7	37.7	78.7	67.2	37.7	89.5	83.8	86.9	78.7	33.9	26.2
N69	49.5	99.2	86.9	49.5	99.2	86.9	48.3	99.2	86.9	48.8	99.2	86.9	48.3	99.2	86.9	48.8	99.2	86.9
N47	99.2	98.1	86.9	99.2	98.1	86.9	70.4	75.2	86.9	87.0	87.6	62.3	71.6	77.2	86.9	87.0	98.0	86.9
N36	57.5	99.0	78.7	57.5	99.0	78.7	57.5	99.0	78.7	52.7	96.9	78.7	57.5	99.0	78.7	52.7	98.8	78.7
N22	99.7	98.9	78.7	99.7	98.9	78.7	91.7	76.0	59.0	95.6	88.5	78.7	92.0	78.1	78.7	95.6	96.9	78.7
N91	99.7	99.2	86.9	99.7	99.2	86.9	94.4	90.9	37.7	88.1	74.3	41.0	94.4	90.9	37.7	88.1	99.1	86.9
N49	100.0	99.9	98.4	100.0	99.9	98.4	80.6	64.5	96.7	82.3	62.2	42.6	81.2	64.5	96.7	82.3	97.4	91.8

Porcentaje de datos recuperados Ciudadanos Científicos (2021-06-03 11:42:58)

NUBE	HUMEDAD			TEMPERATURA			PM25 DF			PM25 NOVA			PM10 DF			PM10 NOVA		
	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h
N134	99.7	99.3	86.9	99.7	99.3	86.9	56.5	99.3	86.9	90.1	92.9	86.9	56.8	99.3	86.9	90.1	99.1	86.9
N51	98.2	99.2	86.9	98.2	99.2	86.9	74.9	84.7	86.9	75.5	63.8	86.9	77.3	84.7	86.9	75.5	99.0	85.2
N99	85.1	75.4	86.9	85.1	75.4	86.9	84.5	75.4	86.9	0.0	0.0	0.0	84.5	75.4	86.9	0.0	0.0	0.0
N262	50.4	99.4	95.1	50.4	99.4	95.1	63.0	99.4	95.1	98.7	99.4	95.1	63.0	99.4	95.1	98.7	99.4	95.1
N169	90.8	60.9	70.5	90.8	60.9	70.5	95.3	68.4	86.9	93.7	68.4	86.9	95.3	68.4	86.9	93.7	68.2	86.9
N100	99.7	99.3	86.9	99.7	99.3	86.9	88.7	78.5	86.9	0.0	0.0	0.0	89.9	78.5	86.9	0.0	0.0	0.0
N90	99.7	99.2	86.9	99.7	99.2	86.9	90.8	78.4	86.9	97.9	97.2	86.9	92.0	80.5	86.9	97.9	98.0	85.2
N128	99.5	98.5	68.9	99.5	98.5	68.9	96.8	88.1	68.9	0.0	0.0	0.0	96.8	88.1	68.9	0.0	0.0	0.0
N195	91.0	90.3	86.9	91.0	90.3	86.9	89.5	84.0	86.9	84.3	79.9	86.9	89.8	84.0	86.9	84.3	82.0	86.9
N68	99.7	99.2	86.9	99.7	99.2	86.9	89.3	84.7	86.9	83.6	80.5	86.9	89.3	84.7	86.9	83.6	99.2	86.9
N10	99.2	99.0	78.7	99.2	99.0	78.7	93.2	86.5	78.7	89.6	82.3	78.7	93.5	86.5	78.7	89.6	99.0	78.7
N75	96.6	77.6	86.9	96.6	77.6	86.9	96.6	77.6	86.9	95.6	75.5	86.9	96.6	77.6	86.9	95.6	77.4	86.9
N24	92.8	93.1	78.7	92.8	93.1	78.7	91.0	91.0	78.7	89.1	89.0	78.7	91.3	93.1	78.7	89.1	92.9	78.7
N38	99.3	98.0	85.2	99.3	98.1	86.9	92.2	89.7	85.2	89.4	86.3	85.2	92.5	89.8	86.9	89.4	98.0	86.9
N87	99.8	99.3	86.9	99.8	99.3	86.9	94.7	86.8	86.9	17.3	6.2	14.8	95.3	86.8	86.9	17.3	26.4	19.7
N136	99.8	99.2	85.2	99.8	99.2	85.2	94.7	88.8	85.2	86.6	80.5	85.2	95.3	90.9	85.2	86.6	93.0	85.2
N236	99.8	99.7	95.1	99.8	99.7	95.1	90.3	87.2	95.1	87.5	91.3	95.1	91.5	87.2	95.1	87.5	99.4	95.1

Porcentaje de datos recuperados Ciudadanos Científicos (2021-06-03 11:42:58)

NUBE	HUMEDAD			TEMPERATURA			PM25 DF			PM25 NOVA			PM10 DF			PM10 NOVA		
	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h
N131	97.3	98.1	85.2	97.3	98.1	85.2	94.4	89.8	85.2	96.3	95.9	85.2	94.4	89.8	85.2	96.3	97.6	85.2
N18	99.4	98.9	78.7	99.4	98.9	78.7	97.1	92.6	78.7	98.2	90.6	31.1	98.0	92.6	78.7	98.2	96.6	78.7
N199	0.0	0.0	0.0	0.0	0.0	0.0	86.4	99.3	86.9	85.5	88.9	86.9	87.5	99.3	86.9	85.5	99.3	86.9
N133	99.7	99.3	86.9	99.7	99.3	86.9	95.5	88.9	86.9	96.9	93.1	86.9	95.5	88.9	86.9	96.9	95.1	86.9
N61	99.8	99.3	86.9	99.8	99.3	86.9	95.1	90.9	85.2	92.8	86.7	65.6	95.4	91.0	86.9	92.8	95.0	85.2
N246	99.7	99.7	95.1	99.7	99.7	95.1	92.0	89.2	93.4	42.6	97.6	95.1	92.0	89.2	93.4	42.6	98.9	95.1
N145	86.2	99.9	98.4	86.2	99.9	98.4	82.0	99.8	95.1	82.8	95.6	95.1	82.3	99.9	96.7	82.8	99.7	98.4
N130	99.8	99.2	86.9	99.8	99.2	86.9	97.4	88.8	86.9	98.9	99.2	86.9	97.7	88.8	86.9	98.9	99.2	86.9
N52	99.7	98.9	85.2	99.7	98.9	85.2	91.4	96.9	85.2	81.8	76.1	85.2	91.4	96.9	85.2	81.8	98.9	85.2
N3	99.7	99.0	78.7	99.7	99.0	78.7	97.6	96.9	78.7	92.4	92.7	78.7	99.7	99.0	78.7	92.4	98.6	78.7
N34	94.3	76.4	3.3	94.3	76.4	3.3	96.1	99.0	78.7	89.8	94.8	78.7	96.4	99.0	78.7	89.8	98.5	78.7
N19	99.7	98.9	77.0	99.7	98.9	77.0	99.1	96.8	77.0	95.0	90.4	77.0	99.4	98.9	77.0	95.0	98.5	77.0
N175	0.0	0.0	0.0	0.0	0.0	0.0	98.5	92.9	83.6	99.1	99.1	83.6	98.5	92.9	83.6	99.1	99.0	83.6
N146	98.6	98.3	86.9	98.6	98.3	86.9	97.4	92.0	86.9	95.6	87.9	86.9	97.4	92.0	86.9	95.6	98.1	86.9
N39	99.7	98.9	77.0	99.7	98.9	77.0	99.4	96.8	77.0	96.8	96.7	77.0	99.4	96.8	77.0	96.8	98.8	77.0
N86	99.7	99.2	86.9	99.7	99.2	86.9	95.0	95.1	86.9	94.8	93.0	86.9	95.0	95.1	86.9	94.8	99.1	86.9
N5	98.3	97.4	78.7	98.3	97.4	78.7	98.3	97.4	78.7	96.8	97.3	78.7	98.3	97.4	78.7	96.8	97.1	78.7

Porcentaje de datos recuperados Ciudadanos Científicos (2021-06-03 11:42:58)

NUBE	HUMEDAD			TEMPERATURA			PM25 DF			PM25 NOVA			PM10 DF			PM10 NOVA		
	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h
N251	71.6	92.1	95.1	71.6	92.1	95.1	86.6	99.6	95.1	84.9	95.4	95.1	86.6	99.6	95.1	84.9	99.6	95.1
N166	5.1	0.6	0.0	5.1	0.6	0.0	98.6	93.0	85.2	98.7	92.6	85.2	98.9	93.0	85.2	98.7	98.9	85.2
N59	99.8	99.2	86.9	99.8	99.2	86.9	93.2	99.2	86.9	88.0	86.7	86.9	93.2	99.2	86.9	88.0	99.2	86.9
N111	99.8	99.2	86.9	99.8	99.2	86.9	98.9	93.0	86.9	96.5	92.7	86.9	99.5	97.2	86.9	96.5	96.8	86.9
N96	98.0	99.3	86.9	98.0	99.3	86.9	97.1	95.1	86.9	90.9	91.0	86.9	97.1	95.1	86.9	90.9	91.0	86.9
N37	99.2	96.1	98.4	99.2	96.1	98.4	98.3	91.7	90.2	97.7	94.0	96.7	98.3	91.7	90.2	97.7	96.1	98.4
N31	98.4	98.0	86.9	98.4	98.0	86.9	96.9	95.9	86.9	92.9	87.6	86.9	97.5	95.9	86.9	92.9	97.9	86.9
N1	99.7	98.9	78.7	99.7	98.9	78.7	99.7	98.9	78.7	98.5	97.8	78.7	99.7	98.9	78.7	98.5	97.8	78.7
N76	99.7	99.3	86.9	99.7	99.3	86.9	98.3	95.1	86.9	95.0	91.0	86.9	98.0	95.1	86.9	95.0	99.2	86.9
N29	99.7	99.0	80.3	99.7	99.0	80.3	99.1	99.0	80.3	98.0	99.0	80.3	99.4	99.0	80.3	98.0	98.8	80.3
N213	99.8	99.3	88.5	99.8	99.3	88.5	97.4	95.1	88.5	99.0	97.2	88.5	97.4	95.1	88.5	99.0	99.3	88.5
N89	100.0	99.9	96.7	100.0	99.9	98.4	97.3	89.5	96.7	99.3	97.6	93.4	97.3	89.5	96.7	99.3	96.5	91.8
N151	99.8	99.3	86.9	99.8	99.3	86.9	98.6	95.1	86.9	89.9	82.7	68.9	98.6	95.1	86.9	89.9	84.7	68.9
N180	99.7	99.3	86.9	99.7	99.3	86.9	98.8	95.1	86.9	96.6	93.0	86.9	98.8	95.1	86.9	96.6	98.8	86.9
N140	99.7	99.2	86.9	99.7	99.2	86.9	96.5	99.2	85.2	82.8	78.3	36.1	97.4	99.2	85.2	82.8	88.8	85.2
N2	99.7	99.0	80.3	99.7	99.0	80.3	99.7	99.0	80.3	99.0	98.8	80.3	99.7	99.0	80.3	99.0	98.3	80.3
N239	99.7	99.7	95.1	99.7	99.7	95.1	92.0	97.6	95.1	94.4	91.3	95.1	93.2	99.7	95.1	94.4	99.7	95.1

Porcentaje de datos recuperados Ciudadanos Científicos (2021-06-03 11:42:58)

NUBE	HUMEDAD			TEMPERATURA			PM25 DF			PM25 NOVA			PM10 DF			PM10 NOVA		
	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h
N229	99.7	99.2	86.9	99.7	99.2	86.9	95.9	99.2	86.9	93.1	93.0	86.9	96.8	99.2	86.9	93.1	99.2	86.9
N225	12.8	1.5	0.0	12.8	1.5	0.0	95.9	93.3	95.1	89.8	85.0	95.1	96.8	93.3	95.1	89.8	99.4	95.1
N142	98.4	99.2	86.9	98.4	99.2	86.9	96.0	99.2	86.9	87.7	77.5	47.5	96.0	99.2	86.9	87.7	62.0	0.0
N112	99.8	99.3	86.9	99.8	99.3	86.9	97.1	99.3	86.9	98.6	99.3	86.9	97.7	99.3	86.9	98.6	99.3	86.9
N171	0.1	0.4	1.6	0.1	0.4	1.6	99.2	97.2	86.9	90.8	74.3	44.3	99.8	99.3	86.9	90.8	95.1	86.9
N159	99.1	99.2	86.9	99.1	99.2	86.9	97.9	99.2	86.9	0.0	0.0	0.0	98.5	99.2	86.9	0.0	0.0	0.0
N228	99.8	99.2	85.2	99.8	99.2	85.2	99.2	99.2	85.2	96.3	97.2	85.2	99.2	99.2	85.2	96.3	99.2	85.2
N44	98.9	98.5	86.9	98.9	98.5	86.9	98.9	98.5	86.9	97.6	98.4	86.9	98.9	98.5	86.9	97.6	98.3	86.9
N223	99.7	99.3	86.9	99.7	99.3	86.9	98.2	99.3	86.9	97.8	97.1	86.9	98.2	99.3	86.9	97.8	99.2	86.9
N198	99.0	95.6	86.9	99.0	95.6	86.9	99.1	98.5	86.9	94.5	96.4	86.9	99.1	98.5	86.9	94.5	98.3	86.9
N165	99.7	99.0	85.2	99.7	99.0	85.2	99.7	99.0	85.2	99.2	96.9	85.2	99.7	99.0	85.2	99.2	98.3	82.0
N209	97.3	82.3	86.9	97.3	82.3	86.9	98.6	99.3	86.9	94.6	99.2	86.9	98.9	99.3	86.9	94.6	99.1	86.9
N149	99.7	99.2	85.2	99.7	99.2	85.2	99.7	99.2	85.2	99.4	99.1	85.2	99.7	99.2	85.2	99.4	99.1	85.2
N230	93.4	99.6	95.1	93.4	99.6	95.1	93.4	99.6	95.1	83.2	80.8	95.1	93.1	99.6	95.1	83.2	99.6	95.1
N125	99.8	99.3	86.9	99.8	99.3	86.9	99.2	99.3	86.9	95.6	95.1	86.9	99.5	99.3	86.9	95.6	99.2	86.9
N88	99.8	99.3	86.9	99.8	99.3	86.9	99.2	99.3	86.9	96.6	99.2	86.9	99.5	99.3	86.9	96.6	99.1	86.9
N206	97.4	99.9	98.4	97.4	99.9	98.4	96.2	95.6	96.7	95.6	95.4	91.8	96.3	95.7	98.4	95.6	99.8	96.7

Porcentaje de datos recuperados Ciudadanos Científicos (2021-06-03 11:42:58)

NUBE	HUMEDAD			TEMPERATURA			PM25 DF			PM25 NOVA			PM10 DF			PM10 NOVA		
	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h
N114	99.7	99.2	86.9	99.7	99.2	86.9	99.4	99.2	86.9	95.5	88.7	86.9	99.7	99.2	86.9	95.5	98.0	86.9
N129	99.7	99.3	86.9	99.7	99.3	86.9	99.4	99.3	86.9	36.6	43.4	86.9	99.4	99.3	86.9	36.6	47.3	86.9
N113	99.8	99.2	86.9	99.8	99.2	86.9	99.5	99.2	86.9	88.4	90.8	86.9	99.5	99.2	86.9	88.4	99.2	86.9
N141	99.7	99.3	86.9	99.7	99.3	86.9	99.4	99.3	86.9	98.4	99.2	86.9	99.4	99.3	86.9	98.4	99.0	86.9
N185	99.8	99.3	86.9	99.8	99.3	86.9	99.5	99.3	86.9	93.1	82.7	37.7	99.8	99.3	86.9	93.1	98.5	86.9
N173	99.8	99.3	86.9	99.8	99.3	86.9	99.5	99.3	86.9	95.2	86.8	86.9	99.8	99.3	86.9	95.2	99.3	86.9
N190	99.7	99.2	86.9	99.7	99.2	86.9	99.7	99.2	86.9	99.2	99.2	86.9	99.7	99.2	86.9	99.2	97.7	85.2
N46	99.7	99.2	86.9	99.7	99.2	86.9	99.7	99.2	86.9	0.0	0.0	0.0	99.7	99.2	86.9	0.0	0.0	0.0
N78	99.8	99.2	86.9	99.8	99.2	86.9	99.8	99.2	86.9	98.9	99.2	86.9	99.8	99.2	86.9	98.9	99.2	86.9
N95	99.8	99.3	86.9	99.8	99.3	86.9	99.8	99.3	86.9	94.8	86.8	86.9	99.8	99.3	86.9	94.8	99.3	86.9
N163	99.8	99.3	86.9	99.8	99.3	86.9	99.8	99.3	86.9	99.3	99.3	86.9	99.8	99.3	86.9	99.3	99.2	86.9
N207	0.0	0.0	0.0	0.0	0.0	0.0	99.8	99.3	86.9	0.0	0.0	0.0	99.8	99.3	86.9	0.0	0.0	0.0
N216	99.8	99.3	86.9	99.8	99.3	86.9	99.8	99.3	86.9	98.3	93.0	86.9	99.8	99.3	86.9	98.3	99.2	86.9
N70	99.8	99.4	88.5	99.8	99.4	88.5	99.2	99.4	88.5	95.5	86.9	88.5	99.2	99.4	88.5	95.5	99.3	88.5
N54	99.8	99.4	88.5	99.8	99.4	88.5	99.8	99.4	88.5	95.5	97.3	88.5	99.8	99.4	88.5	95.5	99.3	88.5
N210	0.1	0.0	0.0	0.1	0.0	0.0	99.4	95.6	95.1	99.9	99.9	98.4	99.3	95.5	93.4	99.9	97.6	98.4
N218	99.8	99.5	93.4	99.8	99.5	93.4	97.7	99.5	93.4	91.9	93.3	93.4	97.7	99.5	93.4	91.9	99.4	93.4



Porcentaje de datos recuperados Ciudadanos Científicos (2021-06-03 11:42:58)

	HUMEDAD			TEMPERATURA			PM25 DF			PM25 NOVA			PM10 DF			PM10 NOVA		
NUBE	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h	7D	24h	1h
N243	63.6	67.8	93.4	63.6	67.8	93.4	98.4	98.8	95.1	42.5	38.9	42.6	99.0	98.8	95.1	42.5	67.6	3.3
N219	0.0	0.0	0.0	0.0	0.0	0.0	99.8	99.6	95.1	95.7	92.8	95.1	99.8	99.6	95.1	95.7	98.5	95.1
N107	100.0	99.9	96.7	100.0	99.9	98.4	99.1	99.9	98.4	90.4	85.3	96.7	99.1	99.9	98.4	90.4	99.8	95.1